

February 28, 2005

STANDARDS BULLETIN 2005-10

New Standard

First Edition of CAN/ULC-S566-05

HALOCARBON CLEAN AGENT FIRE EXTINGUISHERS

ULC is pleased to announce the release of the First Edition of CAN/ULC-S566-05, Halocarbon Clean Agent Fire Extinguishers. This is a ULC/UL Harmonized Binational Standard and the requirements contained in the recently published Second Edition of ANSI/UL 2129 are identical to CAN/ULC-S566-05. The First Edition has been approved by the ULC Committee on Portable Fire Extinguishers, and has been published with the date of February 28, 2005.


CAN/ULC-S566-05 will be of interest to anyone who manufactures, distributes, regulates or inspects fire extinguishers. These requirements cover the construction and performance, exclusive of performance during fire tests, of portable halocarbon clean agent fire extinguishers. Halocarbon clean agent fire extinguishers are intended to be utilized in accordance with the Standard for Portable Fire Extinguishers, NFPA 10 and with the National Fire Code of Canada. The requirements for performance during fire testing of halocarbon clean agent fire extinguishers are specified in the Binational Standard for Rating and Fire Testing of Fire Extinguishers, ANSI/UL 711 CAN/ULC-S508.

Should you require any additional information, please contact Monique Grabowski at (613) 755-2729 Ext. 6226 or email: Monique.Grabowski@ca.ul.com.

This First Edition Standard can be ordered for \$145.00 through our website at www.ulc.ca and selecting ULC Online Store. Once at the ULC Online Store select "Standards".

Yours truly,

UNDERWRITERS' LABORATORIES OF CANADA



G. Rae Dulmage
Director, Standards Department

