



## **AMENDED FINAL REPORT**



**Skin Irritation Test in New Zealand White Rabbits of AIVI FLEX ALIGNER AND RETAINER (Batch No.: 190820192-02) as per ISO 10993-10:2010 (E).**

Kalyani Platina, 3<sup>rd</sup> Floor, Block I, EPIP Zone, Phase II, Whitefield,  
Bangalore – 560066, India T: 91.80.41384400 / F: 91.80.28413759 / W: ul.com



## **AMENDED FINAL REPORT**

### **PRODUCT NAME:**

**AIVI FLEX ALIGNER AND RETAINER (Batch No.: 190820192-02)**

### **STUDY TITLE**

**Skin Irritation Test in New Zealand White Rabbits**

**PROJECT NUMBER**  
**4789219021**

**TEST FACILITY**  
**GLR Laboratories Private Limited**  
**444 Gokulam Street**  
**Mathur, Chennai - 600 068**  
**Tamil Nadu, India**

**STUDY NUMBER**  
**0148/7944**

**Report Issued Date:**  
**02 Nov 2019**

### **STUDY SPONSOR**

**AIVI INNOVATIONS, 5 PRINCE APT., Gopal Lane,  
NEXT TO ICICI BANK, Ghatkopar WEST,  
Mumbai 400086, Maharashtra, India**